



OUR GLOBAL  
COMPETENCE  
CENTRES

 APOLLO DISPLAY  
TECHNOLOGIES



 DISTEC



 DISPLAY  
TECHNOLOGY



# Datasheet

## Distec

**POS-RP-156-00-PRO**

**15.6" Monitor with Artista IoT**

MO-06-001 (MO-06-051, MO-06-071)



**PRO**SERIES

Version 1.5

13.09.2023



---

The information contained in this document has been carefully researched and is, to the best of our knowledge, accurate. However, we assume no liability for any product failures or damages, immediate or consequential, resulting from the use of the information provided herein. Our products are not intended for use in systems in which failures of product could result in personal injury. All trademarks mentioned herein are property of their respective owners. All specifications are subject to change without notice.

---

## Table of Contents

1	Revision History .....	4
2	Description .....	5
3	Characteristics .....	6
3.1	Interfaces .....	6
3.2	OSD Keypad .....	6
4	Mechanical Drawing .....	7
5	Optional Accessories .....	8
5.1	Overview .....	8
5.2	Mounting Frame .....	9
5.2.1	Mounting instruction .....	10

## 1 Revision History

Date	Rev.No.	Description	Page
10.12.2019	0.1	Preliminary Version	All
20.03.2020	0.2	Updated picture	2
24.03.2020	0.3	Updated Typical Power Consumption from "17" to "14"	6
08.07.2020	0.4	Operating temperature changed from 0°C - +50°C to <b>-20°C - +70°C</b> , updated last page	6, 11
16.11.2020	0.5	Operating temperature changed from -20°C - +70°C to <b>-20°C - +50°C</b>	6
10.12.2020	0.6	Revised description, order of characteristics and new cover/last page	5, 6
01.03.2021	0.7	Illustration OSD Keypad added	6
06.05.2021	1.0	<b>Release Version</b> (logos added), WebPoster, VideoPoster	All
12.07.2021	1.1	Software Flyer added	5
27.07.2021	1.2	New template	All
08.09.2021	1.3	Optional Accessories: Overview	8
21.03.2023	1.4	12-24V	5-6
13.09.2023	1.5	12/24V	5-6

## 2 Description

Distec's 15.6" POS-RP-156-00-PRO is a CE certified/IP65 proof front monitor solution, featuring the Raspberry Pi CM3+ based TFT platform Artista-IoT. Therefore, it is the perfect solution for Industry 4.0 and Internet of Things projects.

Its robust but slim cover offers all options for integration and various applications. The POS-RP-156-00-PRO is equipped with an industrial high-brightness display and is designed for long term availability.

### The POS-RP Series features:

- an integrated 10 finger PCAP touchscreen
- integrated passive cooling, which allows operating the system under full load even at high ambient temperatures
- VESA Mounting holes for using it as an HMI, mounted on a swivel arm or monitor stand
- As Option: in-wall mounting frame for a variety of integrations in concrete, wooden, or drywall constructions

### Artista-IoT offers all advantages of a modern ARM processor platform:

- driven by single 12/24V power supply
- in comparison to RaspberryPi standard industrial functions like Real-Time-Clock and others
- Basis configuration: CM3+/8GB (optional 16GB or 32GB)
  - Note: Due to the market situation, Distec reserves the right to install the respective CM3 + module available on the market in the series so that the delivery capability of the POS-XX-PRO series can be improved
- Standard configuration: Raspian
- LAN, HDMI-IN 1.4, 2xUSB as front interfaces, Micro-SD card reader
- An OSD keypad for full access to OSD menu board (→ [PrismaMedia-Eco Datasheet](#))
- *As Option*: Wireless - or Bluetooth adapters to be connected via LAN or USB

### Available Software:

The Monitors with VideoPoster or WebPoster as optional Application-Software can be ordered with the following part no MO-06-051 (VP) or MO-06-071 (WP).


Users are able to program their own applications on a Raspberry Pi basis or using all operating systems and application programs, which are supplied and supported by the large community.

More details regarding available application software and operating systems can be found in the [flyer](#).


### 3 Characteristics

Items	Unit	Specification
Screen Diagonal	[inch]	15.6
Pixels H x V		1920 x 1080
Supported Colors		16.7M (8bit color)
Brightness	[cd/m <sup>2</sup> ]	320
Viewing Angle	v/h	88/88/88/88
Nominal Input Voltage	[V]	12/24
Typical Power Consumption	[W]	14
Electrical Interface		USB, Audio, SD Card, Ethernet RJ45, HDMI
PCAP Touchscreen Touchpoints	finger	10
Storage Temperature	[°C]	-20 to +70
Operating Temperature Range	[°C]	-20 to +50
IP rating		Front IP65
Physical Size H x V x D	[mm]	417 x 261.5 x 33.7
Active Area H x V	[mm]	344.16 x 193.59
Weight	[kg]	3


#### 3.1 Interfaces



#### 3.2 OSD Keypad



## 4 Mechanical Drawing




## 5 Optional Accessories

### 5.1 Overview


<b>Mounting</b>		
In-Wall Mounting Frame	MK-06-005	POS-RP/4K-156-00-PRO In-Wall mounting Frame
<b>Power Supply Unit</b>		
PSU 12V/5A	NT-01-062	AC Adapter CWT KPL-060F-VI(C14/12V5A)2,1
Power Cord EU	DB-07-225	IEC PowerCord (EU-C13) 3x0,75 black 1,8m
Power Cord UK	DB-07-226	Power Cord (UK - C13) black 1,8m
Power Cord USA	DB-07-238	Power Cord (US-C13) black 1,8m/6 feet
<b>Other</b>		
WiFi	PC-05-071	DELOCK 12462 WLAN Stick/Antenna USB 2.0
Micro SD-Card	PC-04-030	microSDHC CARD 16GB SANDISK ULTRA 80MB/S



## 5.2 Mounting Frame



## 5.2.1 Mounting instruction



Allgemeine Beschreibung		DIN/ISO 2768 - m K	
GENERAL INFO		1ST ANGLE PROJECTION	
Sonderf. MERK		A	
Sonderf. SERVICE		A	
001 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
002 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
003 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
004 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
005 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
006 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
007 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
008 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
009 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
010 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
011 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
012 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
013 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
014 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
015 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
016 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
017 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
018 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
019 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
020 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
021 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
022 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
023 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
024 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
025 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
026 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
027 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
028 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
029 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
030 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
031 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
032 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
033 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
034 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
035 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
036 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
037 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
038 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
039 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
040 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
041 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
042 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
043 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
044 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
045 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
046 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
047 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
048 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
049 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
050 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
051 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
052 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
053 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
054 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
055 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
056 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
057 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
058 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
059 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
060 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
061 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
062 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
063 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
064 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
065 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
066 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
067 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
068 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
069 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
070 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
071 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
072 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
073 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
074 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
075 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
076 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
077 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
078 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
079 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
080 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
081 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
082 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
083 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
084 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
085 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
086 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
087 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
088 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
089 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
090 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
091 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
092 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
093 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
094 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
095 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
096 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
097 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
098 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
099 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	
100 Ersatzgehäuse / 1ST HOUSING		18.08.2018 / 241	

Our company network supports you worldwide with offices in Germany, Austria, Switzerland, the UK and the USA. For more information please contact:

## Headquarters

### Germany



#### FORTEC Elektronik AG

Augsburger Str. 2b  
82110 Germering

Phone: +49 89 894450-0  
E-Mail: [info@fortecag.de](mailto:info@fortecag.de)  
Internet: [www.fortecag.de](http://www.fortecag.de)

## Fortec Group Members

### Austria



#### Distec GmbH Office Vienna

Nuschingasse 12  
1230 Wien

Phone: +43 1 8673492-0  
E-Mail: [info@distec.de](mailto:info@distec.de)  
Internet: [www.distec.de](http://www.distec.de)

### Germany



#### Distec GmbH

Augsburger Str. 2b  
82110 Germering

Phone: +49 89 894363-0  
E-Mail: [info@distec.de](mailto:info@distec.de)  
Internet: [www.distec.de](http://www.distec.de)

### Switzerland



#### ALTRAC AG

Bahnhofstraße 3  
5436 Würenlos

Phone: +41 44 7446111  
E-Mail: [info@altrac.ch](mailto:info@altrac.ch)  
Internet: [www.altrac.ch](http://www.altrac.ch)

### United Kingdom



#### Display Technology Ltd.

Osprey House, 1 Osprey Court  
Hinchingsbrooke Business Park  
Huntingdon, Cambridgeshire, PE29 6FN

Phone: +44 1480 411600  
E-Mail: [info@displaytechnology.co.uk](mailto:info@displaytechnology.co.uk)  
Internet: [www.displaytechnology.co.uk](http://www.displaytechnology.co.uk)

### USA



#### Apollo Display Technologies, Corp.

87 Raynor Avenue, Unit 1  
Ronkonkoma, NY 11779

Phone: +1 631 5804360  
E-Mail: [info@apolloDisplays.com](mailto:info@apolloDisplays.com)  
Internet: [www.apolloDisplays.com](http://www.apolloDisplays.com)